



HOME & BUILDING YACHT AUTOMATION SECURITY SOLUTION

Live Counter Information



HOME & BUILDING & YACHT AUTOMATION SECURITY SOLUTIONS


OBS S.r.l.

Headquarter Via Piemonte, 11/D - 46049 Volta Mantovana (MN) – www.obssrl.com

Show Room Via San Francesco di Sales, 16A - 00165 Roma –

Email info@obsservizi.it Tel. +39 0376.895140 Fax. +39 0376.812838 C.F. e P.Iva 02320190206 –

REA: MN 242786 - Cap. soc. €. 100.000 i.v.





HOME & BUILDING YACHT AUTOMATION SECURITY SOLUTION

Live Counter Information



Data Collection



HOME & BUILDING & YACHT AUTOMATION SECURITY SOLUTIONS


OBS S.r.l.

Headquarter Via Piemonte, 11/D - 46049 Volta Mantovana (MN) - www.obssrl.com

Show Room Via San Francesco di Sales, 16A - 00165 Roma -

Email info@obsservizi.it Tel. +39 0376.895140 Fax. +39 0376.812838 C.F. e P.Iva 02320190206 -

REA: MN 242786 - Cap. soc. €. 100.000 i.v.



HOME & BUILDING YACHT AUTOMATION SECURITY SOLUTION



Video			
Video Codec		H.264	
Video Output at 60 Hz		HDMI	VGA
		480p	640 x 480
		720p	1024 x 768
		1080i	1280 x 768
		1080p	1366 x 768
Network			
Interface		10/100 Ethernet	
Mechanical			
IR Remote Control		Yes	
Connectors	Power	12V DC Jack	
	Ethernet	RJ-45 (Built-in Web Report Lite Access)	
	Counting Output	HDMI, VGA	
	3D Camera Input	USB slot (2.0 backward compatible)	
	Local Storage	SD card slot (for Class 6 or above, FAT32 format)	
	Audio out	Wrong Direction Alarm (3.5 mm Jack)	
General			
Operating Temperature		0 °C ~ 40 °C / 32 °F ~ 104 °F	
Operating Humidity		20 % ~ 80 %	
Dimensions (W x H x D)		182.5 × 29 × 141.5 mm / 7.19 × 1.14 × 5.58 in	
Net Weight		615 g / 1.36 lb	
Power		DC 12 V	
Power Consumption		36 W (max. 3 A at 12V DC)	
Regulatory		CE, FCC compliant	
Language		English	

3D Camera



Power Consumption	below 2.5W
Distance of Use	Between 0.6m ~ 5 m
Field of View	58° H, 45° V, 70° D (Horizontal, Vertical, Diagonal)
Sensor	Depth
Depth Image Resolution	QVGA (320x240) / 30 fps
Power Consumption	36 W (max. 3 A at 12V DC)
Interface	USB2.0
Operation Environment	Indoor

HOME & BUILDING & YACHT AUTOMATION SECURITY SOLUTIONS

OBS S.r.l.

Headquarter Via Piemonte, 11/D - 46049 Volta Mantovana (MN) – www.obssrl.com

Show Room Via San Francesco di Sales, 16A - 00165 Roma –

Email info@obsservizi.it Tel. +39 0376.895140 Fax. +39 0376.812838 C.F. e P.Iva 02320190206 –

REA: MN 242786 - Cap. soc. €. 100.000 i.v.